

To: Rob Monnig[rob.monnig@tetrattech.com]
From: Mahler, Tom
Sent: Fri 12/23/2016 7:00:28 PM
Subject: FW: Bridgeton Dust QAPP
2420_4G.pdf

FYI,

SOP for region 7 COC procedures.

Tom

From: Estep, Rebecca
Sent: Friday, December 23, 2016 12:54 PM
To: Mahler, Tom <mahler.tom@epa.gov>
Subject: RE: Bridgeton Dust QAPP

See attached COC SOP.

Rebecca Estep

U.S. Environmental Protection Agency – Region 7

Quality Assurance Specialist

11201 Renner Blvd. Lenexa, KS 66219

(913) 551-7598

estep.rebecca@epa.gov

From: Mahler, Tom
Sent: Friday, December 23, 2016 12:22 PM
To: Estep, Rebecca <Estep.Rebecca@epa.gov>

Cc: Tapp, Joshua <Tapp.Joshua@epa.gov>; Tapia, Cecilia <Tapia.Cecilia@epa.gov>; Harris, Diane E. <Harris.Dianee@epa.gov>; Jackson, Robert W. <Jackson.Robertw@epa.gov>; Juett, Lynn <Juett.Lynn@epa.gov>

Subject: Bridgeton Dust QAPP

My start contractor and I just finished going over our changes to the QAPP based on our discussion yesterday. I will be sending a new pdf and a word doc with track changes in the next 10 to 15 minutes.

I believe we were able to address all of your comments. I suspect we will need to discuss the reference to EPA Region 7 COC procedures and section 4.2 in regards to trip blanks.

Other than that, I think you find everything in the QAPP that we discussed.

Our intent is to use the original signature page that I sent yesterday unless you tell me otherwise.

My contractor is standing by should he need to round people up for a new signature page today.

Talk to you soon,

Tom Mahler

On-Scene Coordinator

US EPA Region 7

816-604-0546